



# 16.3

Hours

# 6 Landings



# Highlights

- Green Boeing Completion
- Ferry Time Only
- Available for Viewings in Europe
- Available for Immediate Delivery

# Airframe

TOTAL TIME SINCE NEW	16.30 Hours
TOTAL LANDINGS SINCE NEW	6 Landings
MANUFACTURING DATE	28 April 2015
DELIVERY DATE	30 April 2015
SERIAL NUMBER	37109
LINE NUMBER	293
VARIABLE NUMBER	ZB299
HOME BASE	Basel, Switzerland
CERTIFICATION	Currently FAA (EASA capable)

Engines	Left	Right
DESCRIPTION	General Electric GE	Enx-1B74/75/B2
SERIAL NUMBER(S)	956518	956520
TOTAL HOURS SINCE NEW	163.30 Hours	163.30 Hours
TOTAL CYCLES SINCE NEW	6 Cycles	6 Cycles

#### APU

DESCRIPTION	Hamilton APS-5000A
SERIAL NUMBER	HSC-E1525347PL
APU TOTAL TIME SINCE NEW	36 Hours
APU TOTAL CYCLES SINCE NEW	63 Cycles



# **Avionics**

Type of unit	Qty	Description
EFIS (ELECTRONIC FLIGHT INSTRUMENT SYSTEM)		
ESIS (ELECTRONIC STANDBY INSTRUMENT SYSTEM)		
FMS (FLIGHT MANAGEMENT SYSTEM)		
GPS (GLOBAL POSITIONING SYSTEM)	Single	Honeywell
DCMF (DATA COMMUNICATION MANAGEMENT FUNCTION)	Single	
CDU (CONTROL DISPLAY UNIT)		
ADC (AIR DATA COMPUTER)		
NAV (NAVIGATION RADIO)		
RMI (RADIO MAGNETIC INDICATOR)		
DME (DISTANCE MEASURING EQUIPMENT)	Dual	Honeywell
HUD (HEAD UP DISPLAY)	Single	
ADF (AUTOMATIC DIRECTION FINDER)		
AFCS (AUTO FLIGHT CONTROL SYSTEM)		
A/P (AUTOPILOT)		
SELCAL (Selective Calling System)	Single	

Type of unit	Qty	Description
VHF COM (VERY HIGH FREQ. COMMUNICATION)	Triple	Collins
HF COM (HIGH FREQ. COMMUNICATIONS)		
SATCOM (SATELLITE COMMUNICATIONS)	Single	Dual Channel Aero H+
RADAR	Single	Collins ISSPU
RADAR ALT (RADAR ALTIMETER)		
XPNDR (TRANSPONDER)		
GPWS (GROUND PROXIMITY WARNING SYSTEM)	Single	Collins TAWS
TCAS (TRAFFIC COLLISION AVOIDANCE SYSTEM)	Single	
ELT (EMERGENCY LOCATOR TRANSMITTER)	Single	
CVR (COCKPIT VOICE RECORDER)		
FDR (FLIGHT DATA RECORDER)		



# Navigation & Compliance

Data link message exchanges with ground ACARS stations, using VHF (including VDL Mode 2 when suitable ground stations are available), HF, or SATCOM.

Air traffic services (ATS) data link using the future air navigation system-1 (FANS-1) standards for controller-pilot data link communications (CPDLC), automatic dependent surveillance (ADS), and ATS facilities notification (AFN), with these functions integrated with the flight management system (FMS). The 787 ATS data link functionality is fully compatible with the global air traffic management (ATM) environment. The FANS-1 functionality is interoperable with oceanic data link systems.

ATS data link using VDL Mode 2 and the ICAO aeronautical telecommunications network (ATN) baseline-1 standards for CPDLC, and context management, with these functions integrated with the FMS (allowing, for example, automatic loading of uplinked route clearances) and the FANS-1 function. This provides a single unified crew interface, allowing operators to have both FANS-1 and a standard and recommended practices (SARP) compliant ATN application on the same airplane with a single set of crew procedures. ATN coupled with the FANS-1 function, provides what is commonly termed FANS-2 capability.

Flight information services (FIS) data link message exchanges, including departure clearances, oceanic clearances, and digital automatic terminal information service (D-ATIS)

Data link message exchanges with ground ACARS stations, using VHF (including VDL Mode 2 when suitable ground stations are available), HF, or SATCOM.


## Interior

CREW REST	Forward location with Two (2) Beds
JUMPSEAT	Yes
	Total volume 5,452 ft3/154.4 m3
	Class C forward, aft, and bulk lower hold cargo compartments are provided. Cargo can be loaded into the forward and aft compartments in certified and non-certified airplane unit load devices (ULD), or containers and pallets). Loose baggage and other parcels can be loaded into the bulk compartment.
CARGO HOLD	The cargo handling system provides hardware for ULD guidance, restraint, conveyance and powered movement. The system accepts LD-3 (side-by-side), A-size (88- by 125-inch) and M-size (96- by 125-inch) pallets. It also accepts LD-1, LD-2, LD-3-46W/-46, LD-4, LD-5, LD-6, LD-7, LD-8, LD-9, LD-10 and LD-11 containers, and K-, L-, and N-size pallets. All containers and pallets are individually restrained.

#### Exterior


BASE PAINT COLOR(S)	Overall Matterhorn White
LAST PAINTED DATE	Original








info@jetcraft.com | +1 919 941 8400 | jetcraft.com











info@jetcraft.com | +1 919 941 8400 | jetcraft.com













registration marks, or other identifying information to protect the privacy of the Aircraft's current owner. The Aircraft is subject to prior sale, lease, and/or removal from the market without prior notice.







## FOR YOUR WORLD