




AIRFRAME HIGHLIGHTS TOTAL TIME SINCE NEW 2,120 Hours (as of April 2019) TOTAL LANDINGS SINCE NEW 744 Landings November 4, 2009 ENTRY INTO SERVICE DATE EASA / JAA CERTIFIED CURRENT LOCATION Gulfstream St. Louis - KCPS CMP MAINTENANCE TRACKING CERTIFICATION Currently Operated - EU OPS SYNTHETIC VISION **ENGINES** Left Engine Right Engine DESCRIPTION Rolls Royce TAY611-8C SERIAL NUMBER(S) 85337 85336 2,120 Hours 2,120 Hours TOTAL HOURS SINCE NEW FANS 1A/CDPLC AND ADS-B OUT V2 TOTAL CYCLES SINCE NEW 744 Cycles 744 Cycles PROGRAM COVERAGE Rolls-Royce CorporateCare APU RUNWAY AWARENESS ADVISORY SYSTEM (RAAS) DESCRIPTION Honeywell GTCP36-150 SERIAL NUMBER P-282 APU TOTAL TIME SINCE NEW 2.789 Hours MSP PROGRAM COVERAGE 14 PASSENGER AND FORWARD



GALLEY CONFIGURATION

AVIONICS

Type of Unit	Quantity	Description
EFIS (Electronic Flight Instrument System)	4-Tube	Honeywell DU-1310
CDU (Central Display Unit)	Triple	Honeywell MC-850
IRS (Inertial Reference System)	Triple	Honeywell LASERF V
GPS (Global Positioning System)	Dual	Honeywell GPS Module
ADC (Air Data Computer)	Triple	Honeywell AZ-200
NAV (Navigation Radio)	Dual	Honeywell NV-875A
MAU (Modular Avionic Units)	Triple	Honeywell MAU
DME (Distance Measuring Equipment)	Dual	Honeywell DM-855
EVS (Enhanced Vision System)	Single	Kollsman
SVS (Synthetic Vision System)	Single	Synthetic Vision – Primary Flight Display
ADF (Automatic Direction Finder)	Dual	Honeywell DF-855
VHF COM (Very High Freq. Communications)	Triple	Honeywell TR-865A
HF COM (High Freq. Communications)	Dual	Collins HF-9034A
SATCOM (Satellite Communications)	Single	Honeywell HP-600
WRADAR (Weather Radar)	Single	Honeywell WU-880
RADAR ALT (Radar Altimeter)	Dual	Honeywell RT-300
XPNDR (Transponder)	Dual	Honeywell Mode S
GPWS (Ground Proximity Warning System)	Dual	Honeywell EGP-100
TCAS (Traffic Collision Avoidance System)	Single	Honeywell TCAS 7.1
CVR (Cockpit Voice Recorder)	Single	Honeywell AR-120
FDR (Flight Data Recorder)	Single	Honeywell AR-256
ELT (Emergency Locator Transmitter)	Single	Artex C406-N
LSS (Lighting Sensor System)	Single	Honeywell LP-860

OTHER NOTABLE FEATURES

ASC-2A - EASA / JAA Cert - Basic Requirement

ASC-21 - Lightning Sensor System

ASC-25 - CMF-ARINC Direct-Datalink Service Provider

ASC-37A - Synthetic Vision - Primary Flight Display (SV-PFD)

ASC-40A - Runway Awareness Advisory

ASC-58B - PlaneView Avionics Enhancement

ASC-084 - Automatic Dependent Surveillance - Broadcast (ADS-B) Out V2

ASC-912 - PlaneView Master Operating System Software Update



INTERIOR

	Description
NUMBER OF PASSENGERS	Fourteen (14) Passenger
GALLEY LOCATION	Forward
FORWARD CABIN CONFIGURATION	Four (4) Place Double Club
MID CABIN CONFIGURATION	Four (4) Place Conference Group Opposite a Credenza
AFT CABIN CONFIGURATION	Two (2) Place Club Opposite a Four (4) Place Divan
LAVATORY LOCATION(S)	Forward and Aft
JUMPSEAT	Yes
GALLEY EQUIPMENT	Microwave Oven; High Temperature Oven; Coffee Maker; Espresso Maker
OTHER NOTABLE FEATURE(S)	Forward and Mid Cabin with Pocket Door

EXTERIOR

BASE PAINT COLOR(S) Matterhorn White
STRIPE COLOR(S) Blue, Red and Grey

ENTERTAINMENT

DISPLAY/TV MONITOR(S)

One (1) 17" Aft bulkhead LCD Monitor;
One (1) 20" Forward Bulkhead LCD Monitor

PERSONAL / PLUG-IN MONITOR(S) Six (6) 7" Personal Monitor


AIRSHOW SYSTEM Airshow 4000


CABIN MANAGEMENT SYSTEM Gulfstream Cabin Management System

OTHER NOTABLE FEATURE(S) Three External Camera


CONNECTIVITY

PHONE SYSTEM Aircell Axxess II





































JETCRAFT



